

BATTERIES & LOW VOLTAGE Product Range





WHO WE ARE



1933 - 2023

Dell'Orto was **founded in 1933** and in 2023 celebrates 90 years of successes

















Our values drive us in competing into four business sectors





TWO WHEELERS & RECREATIONAL ELECTIRC POWERTRAIN




Dell'Orto stays close to its customers

Dell'Orto has a strong Product multidisciplinary Design Expertise Mechanics, Fluid-dynamic, Thermo-dynamic, Electronic Hardware and Firmware, Power Electronic.









Testing and Validation capabilities and Know-how - TUV certified -










Our Innovation and R&D is contiguously evolving our Product Range Offering



Dell'Orto manufacturing sites work according to state of the art Automotive Grade processes


> ISO ISO 14001:2015 9001:2015

ISO International Organization for ISO 45001:2018






AUTOMOTIVE



DELL'ORTO IS A TIER 1 COMPONENT SUPPLIER

Especially re-known for **high reliability** of **mechatronic components** into Inlet and Outlet Air Management

2 WHEELERS & RECREATIONAL



DELL'ORTO IS A SYSTEM INTEGRATOR

Market leader in Electronic Injection Systems and Fuel Module Supply



LOW VOLTAGE - PRODUCT RANGE




ALL IN ONE **Vehicle Control Unit INVERTER** DC- DC

100% under DELLORTO know how

From 2kw to 15kw Air Cooled



VID 165



VID 250



VID 360

STANDS OUT

for **compactness** and **easiness of application** and **range availability**

ALL IN ONE

Vehicle Control Unit INVERTER DC- DC **Battery**

100% under DELLORTO know how

From 250Wh up to 750 Wh - 21700 cells



STANDS OUT

for **compactness** and **easiness of application** and **range availability**

E.MOTOR

From 2,5kW to 9 kW Air cooled



3-3,5 kW





IPM

6,5-9 kW 9-13 kW

STANDS OUT

for range availability and gear ratio customization ability

BATTERIES

100% under DELLORTO know how

2 kWh - NCM Cells





STANDS OUT

for providing **High Safety Standards** BMS ability to increase Battery's Life and Durability **Swappable and Stackable** package design **Compactness**

BATTERIES



ARE DESIGNED AND MANUFACTURED BY DELL'ORTO

BATTERIES FOR TRACTION

Nominal Voltage / Capacity – 50,4 V / 40 Ah Energy density > 175 Wh/kg – 275Wh/liter Cell type 21700 NMC Lithium-Nickel-Manganese-Cobalt-Oxide (LiNiMnCoO2) BMS integrated BMS can manage battery parallel up to 8 packs Aluminium case, IP 67 Communication protocol – CAN

Swappable and Stackable



Energy – 2.016 Wh Weight – 11,8kg Size – 240 X 348 X 88

Compact Design



Energy – 2.268 Wh Weight – 12,1 kg Size – 221 X 197 X 195

STARTER BATTERIES

Voltage 8.5V or 12.8 V or 14,55V Capacity 10Ah or 12 Ah Cell type Lifepo



Dell'Orto batteries **stand out** for:

being designed according to State of the Art solutions for new Mobility,

• being manufactured into Dell'Orto premises according to automotive grade quality Standards


Ill rights reserved













DELL'ORTO IS A POWER TRAIN SYSTEM SUPPLIER

Thanks to its multi-decades experience into Motorsport and 2Wheeler & Recreational vehicles, Dell'Orto stands out for manufacturing highly effective and reliable product range

I rights reserved